

L Number	Hits	Search Text	DB	Time stamp
1	207	(CHANG near CHI).inv.	USPAT	2004/03/06 18:30
3	10	((CHANG near CHI).inv.) and trigger	USPAT	2004/03/06 18:34
6	1	(chi near che near chang).inv	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/06 18:47
8	479	(307/147).CCLS.	USPAT	2004/03/06 18:47
12	40	(board (circuit adj board)) near11 distance near11 (capacitance capacitive)	USPAT	2004/03/06 19:04
13	17	3710209.URPN.	USPAT	2004/03/06 18:57
14	3476	touch near3 (light\$4 lamp)	USPAT	2004/03/06 19:01
15	2818	touch near2 (light\$4 lamp)	USPAT	2004/03/06 19:01
16	983	touch adj2 (light\$4 lamp)	USPAT	2004/03/06 19:01
17	383	touch adj (light\$4 lamp)	USPAT	2004/03/06 19:01
18	28	(touch adj (light\$4 lamp)) and capacitance	USPAT	2004/03/06 19:01
19	513	(board (circuit adj board)) near11 between near11 (capacitance capacitive)	USPAT	2004/03/06 19:04
20	223	(board (circuit adj board)) near5 between near5 (capacitance capacitive)	USPAT	2004/03/06 19:12
21	83	(board (circuit adj board)) near11 pin near11 (capacitance capacitive)	USPAT	2004/03/06 19:22
22	4098	(touch capacitive) adj sensor	USPAT	2004/03/06 19:33
23	407	(distance separation) near5 (board) near5 (vary\$3 chang\$3 increas\$3 decreas\$3)	USPAT	2004/03/06 19:25
25	1	((touch capacitive) adj sensor) and ((distance separation) near5 (board) near5 (vary\$3 chang\$3 increas\$3 decreas\$3))	USPAT	2004/03/06 19:25
26	15	(distance separation) near5 (board) near5 (capacitance capacitive)	USPAT	2004/03/06 21:03
27	1490	(touch) adj sensor	USPAT	2004/03/06 19:33
28	99	((touch) adj sensor) same capacitance	USPAT	2004/03/06 20:00
29	59	4290052.URPN.	USPAT	2004/03/06 19:54
30	162	(200/600).CCLS.	USPAT	2004/03/06 20:50
32	8	("3887848" "4056699" "4064688" "4211497" "4244040" "4304976" "4751625" "5917165").PN.	USPAT	2004/03/06 20:26

33	7	5917165.URPN.	USPAT	2004/03/06 20:37
34	14	("3125739" "3386067" "3509296" "3648002" "3845261" "3951250" "4322983" "4380007" "4414452" "4640994" "4665324" "4924222" "5017833" "5313840").PN.	USPAT	2004/03/06 20:38
35	4	5856646.URPN.	USPAT	2004/03/06 20:42
36	10	("4412268" "4531287" "5153572" "5164901" "5189417" "5235217" "5239152" "5341036" "5396222" "5512205").PN.	USPAT	2004/03/06 20:42
37	6	5166482.URPN.	USPAT	2004/03/06 20:43
38	3	("2896131" "4237386" "4293745").PN.	USPAT	2004/03/06 20:43
39	22	4380040.URPN.	USPAT	2004/03/06 20:46
40	17	3710209.URPN.	USPAT	2004/03/06 20:47
41	547	((324/658) or (324/686) or (324/661)).CCLS.	USPAT	2004/03/06 20:51
42	2	(((324/658) or (324/686) or (324/661)).CCLS.) and ((distance separation) near5 board)	USPAT	2004/03/06 20:52
43	6	(((324/658) or (324/686) or (324/661)).CCLS.) and ((touch) adj sensor)	USPAT	2004/03/06 20:52
44	78	(((324/658) or (324/686) or (324/661)).CCLS.) and ((distance separation) near5 capacitance)	USPAT	2004/03/06 20:59
45	30	200/\$.ccls. and ((distance separation) near11 capacitance)	USPAT	2004/03/06 20:59
46	10	(distance separation) near5 (board) near5 (capacitance capacitive)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/06 21:06
47	2894	trigger adj switch	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/06 21:07
48	2	trigger adj switch adj module	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/06 21:07
49	273	(trigger adj switch) same capacit\$4	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/06 21:07
50	5	((trigger adj switch) same capacit\$4) same (distance separation)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/06 21:09
51	652	((307/147) or (307/119)).CCLS.	USPAT	2004/03/06 21:10

52	23	((307/147) or (307/119)).CCLS.) and ((touch capacit\$4) near5 sens\$3)	USPAT	2004/03/06 21:11
-----------	-----------	---	--------------	-----------------------------